

B-Klasse										Hymermobil S-Klasse										Wt. (kg)
4	644	654	694	550	555	560	660	665	670	700	550	555	560	660	665	670	700	750	7542	
0	7540	7375	7545	7350	7360	7380	7560	7570	7542	7590										
	S	S	-	-	-	-	-	-	-	-										
	-	-	-	1440	1440	1440	1440	1440	1440	1440										
	-	-	-	654	654	654	654	654	654	654										
	595	595	595	-	-	-	-	-	-	-										
	-	-	-	970	970	970	970	970	970	970										
	S	S	-	-	-	-	S	-	S	-										
493	-	-	-	-	-	-	493	-	-	-										
	-	-	495	-	-	-	-	495	-	-										
	-	S	-	-	-	-	-	-	-	-										
S	S	S	-	-	-	-	S	-	S	-										
225	-	225	-	-	-	-	225	-	-	-										
	-	-	-	-	-	-	-	-	-	-										
	493	-	-	-	-	-	-	-	-	-										
	-	-	-	-	-	-	-	-	-	-										
163	163	163	-	-	-	-	163	163	163	163										
	-	-	-	123	123	-	-	-	-	-										
S	S	S	S	S	S	S	S	S	S	S										
	-	-	-	-	-	-	-	-	-	-										
	-	-	-	-	-	-	-	-	-	-										
95	595	-	-	-	-	-	-	-	-	-										
	-	446	-	-	-	-	-	-	-	-										
	-	-	595	595	595	595	595	595	595	595										
248	248	-	-	-	-	-	-	-	-	-										
	-	-	248	248	248	248	248	248	248	248										
54	54	54	54	54	54	-	54	54	54	54										
4	-	-	-	-	-	54	-	-	-	-										
5	-	-	-	-	-	-	-	-	-	-										
0	170	170	170	170	170	170	170	170	170	170										
375	375	375	375	375	375	375	375	375	375	375										
345	345	-	345	-	345	345	345	345	345	345										
226	226	226	226	226	226	226	226	226	226	226										
60	S	60	60	60	S	S	S	S	S	-										
36	-	-	36	36	36	-	36	-	-	-										
	-	-	-	-	-	-	175	-	-	-										
	-	-	-	-	-	-	-	-	-	-										
	-	-	-	-	-	-	-	-	-	-										
	-	-	-	-	-	-	-	-	-	-										
595	595	S	S	S	595	595	595	595	595	595										
-	5233	-	-	-	5233	5233	5233	5233	5233	5233										
	-	-	-	-	-	-	-	-	-	-										
	-	-	389	389	389	389	389	389	389	389										
389	389	-	-	-	-	-	-	-	-	-										
	-	-	-	-	-	-	-	-	-	-										
	-	-	-	-	-	-	-	-	-	-										
71	71	71	71	71	71	71	71	71	71	71										

Code	Series	Type	Hymercamp				Hymer-tramp		Hymermobil B-Klasse										Hymermobil S-Klasse										Wt. (kg)
			51	52	55	56	64	155	164	534	544	554	564	644	654	694	550	555	560	660	665	670	700						
56550	Duomatic L. Deluxe Gas Reg.		7215	7225	7230	7235	7250	7260	7265	7330	7344	7355	7370	7540	7375	7542	7350	7360	7380	7560	7570	7542	7590						
34610	Tray & Door for „Mase“ Generator		88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88						
42425	Cab Seat Covers (Terra)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
34200	Driver's Door		195	195	195	195	195	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
37660	Bicycle Rack (For 2 Bikes)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0,5					
37665	Bicycle Rack (For 3 Bikes)		155	155	155	155	155	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10					
89000	Fire Extinguisher		185	185	185	185	185	185	185	185	185	185	185	185	185	185	185	185	185	185	185	185	185	-					
56120	Remote Gas Switch (1 Bottle)		27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	10					
56130	Remote Gas Switch (2 Bottle) 7)		88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	5,5					
56140	LPG 73 I Gas Tank 8)		88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	6					
52010	„Mase“ Generator 220 V/500 W 9)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
52900	„Onan“ Generator 220 V/2,5 kW		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
83520	Windscreen Insulation Mat		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
83530	Windscreen Insulation Mat		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
83540	Windscreen Insulation Mat 14)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
83550	Caravan Insulation Curtain		95	95	95	95	95	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
57910	12v „Travel Cool“ Air Conditioner		195	195	195	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
57920	220v „Mach 3“ Air Conditioner		733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	733	-					
20210	120 l Fuel Tank		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
58650	Refrigerator 100 l 10)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
37530	Sailboard Rack „B“ 11)		-	-	-	-	138	-	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
37540	Sailboard Rack „B“ (High) 11)		110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	-					
37510	Sailboard Rack „S“ 11)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
37520	Sailboard Rack „S“ (High) 11)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
83890	„Omnistor“ Awning 350 cm 12)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
83840	„Omnistor“ Awning 350 cm 12)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
83850	„Omnistor“ Awning 350 cm 12)		-	-	498	498	498	-	498	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
83860	„Omnistor“ Awning 300 cm 12)		465	465	-	-	-	465	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
37685	Motorbike Rack 3)		487	487	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
37695	Motorbike Rack 3)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
37680	Motorbike Rack 3)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
37690	Motorbike Rack 3)		-	-	487	487	487	487	487	487	487	487	487	487	487	487	487	487	487	487	487	487	487	-					
31000	Fog Lights (Front)		121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	-					
31001	Fog Lights (Front)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
83050	Panoramic Mirror – each		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
83610	Engine Soundproofing		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
83620	Cover for Truma 3000		65	65	65	65	-	65	-	65	65	65	65	-	-	65	65	65	65	-	65	-	65	-					
83630	Cover for Truma 5000		-	-	-	-	69	-	69	-	-	-	-	69	69	-	-	-	-	69	-	69	-	-					
35000	Mud Flaps (two)		44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	0,5					
34300	Security Lock		74	74	74	74	74	74	74	74	74	74	74	74	74	74													

Hymermobil
Ski-apartment
**on wheels/
Alpine delights.**

Mountains, snow and skiing. The winter apartment always right on the piste. There where it's the most attractive. For the sporty alpine skier as well as for the persevering novice. Jump in, drive off, the skis clipped on top and sheer pleasure inside.

The Hymermobil, winterproof, independent, the comfortable ski-lodge on wheels. An ideal venue for the après ski.



**Hymetramp.
Powerful/
The joy of
the earth.**

Anyone who loves noble arabs has a feeling for elegance, aesthetics and good breeding. Anyone who has experienced the Hymetramp, has come across the same attributes. Has come across freedom with all the modern comforts in a concept which combines living and driving in an ideal synthesis.

Whoever lands on the Hymetramp has landed on the right horse.



ramp 155.






The Hymer- Motorcaravan Programme



1990




Hymermobil 550



Hymermobil 555




Hymermobil 560




Hymermobil 660









Hymermobil 665**



Hymermobil 670



Hymermobil 700**



	550			555		
Dimensions and weights:	Petrol	Diesel	Diesel 5 Cyl.	Petrol	Diesel	Diesel 5 Cyl.
Overall length cm	560	560	560	560	560	560
External body length cm	550	550	550	550	550	550
Internal body length cm	545	545	545	545	545	545
Overall width cm	222	222	222	222	222	222
Internal width cm	207	207	207	207	207	207
Overall height cm	279	279	279	279	279	279
Standing room cm	189	189	189	189	189	189
Gross weight Kg	3200	3200	3200	3200	3200	3200
optional 1)	-	-	-	-	-	-
Unladen weight Kg*	2490 / 2530 / 2570	2550 / 2590 / 2630	2550 / 2590 / 2630	2550 / 2590 / 2630	2550 / 2590 / 2630	2550 / 2590 / 2630
together with 1)	-	-	-	-	-	-
Poss. payload Kg	710 / 670 / 630	650 / 610 / 570	650 / 610 / 570	650 / 610 / 570	650 / 610 / 570	650 / 610 / 570
together with 1)	-	-	-	-	-	-
Perm. towing weight Kg****	2000	2000	2000	2000	2000	2000
Permitted passengers	6	6	6	6	6	6
Sleeps	4-5	4-5	4-5	4-5	4-5	4-5
Washroom W x D cm	100x85	103x83/73	103x83/73	103x83/73	103x83/73	103x83/73
Wardrobe W x D x H cm	60x60x130	52x55x121	52x55x121	52x55x121	52x55x121	52x55x121
Forward bed L x W cm	185x140	185x140	185x140	185x140	185x140	185x140
Rear bed L x W cm	204x182	-	-	-	-	-
Middle bed L x W cm	-	190x128 / 183x65	190x128 / 183x65	190x128 / 183x65	190x128 / 183x65	190x128 / 183x65
Rear luggage space cm	207x71x36	-	-	-	-	-
Windows/opening	7/6	6/5	6/5	6/5	6/5	6/5
Roof ventilators	2	3	3	3	3	3
Compulsory ventilators	2	2	2	2	2	2
Cooker-rings	2	2	2	2	2	2
Heating	Truma 3002 S	Truma 3002 S	Truma 3002 S	Truma 3002 S	Truma 3002 S	Truma 3002 S
Fridge	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****
Fresh water supply	100 l-Tank	100 l-Tank	100 l-Tank	100 l-Tank	100 l-Tank	100 l-Tank
Foul water tank	100 l	100 l	100 l	100 l	100 l	100 l
Gas supply	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg
12 V sockets	2	1	1	1	1	1
12 V lights	6	6	6	6	6	6
220 V sockets	2	3	3	3	3	3
Batteries Amp-hours	50	50	50	50	50	50

	560			660			665**			670			700**		
	Petrol	Diesel	Diesel 5 Cyl.	Petrol	Diesel	Diesel 5 Cyl.	Petrol	Diesel	Diesel 5 Cyl.	Petrol	Diesel	Diesel 5 Cyl.	Petrol	Diesel	Diesel 5 Cyl.
	560	560	560	658	658	658	658	658	658	658	658	658	721	721	721
	550	550	550	648	648	648	648	648	648	648	648	648	711	711	711
	545	545	545	643	643	643	643	643	643	643	643	643	706	706	706
	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222
	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207
	279	279	279	281	281	281	281	281	281	281	281	281	281	281	281
	189	189	189	189	189	189	189	189	189	189	189	189	189	189	189
	3200	3200	3200	4600	4600	4600	4600	4600	4600	4600	4600	4600	4600	4600	4600
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2540 / 2580 / 2620	2940 / - / 2980	3000 / 3040	3200 / 3240	3180 / 3220	3180 / 3220	3180 / 3220	3180 / 3220	3180 / 3220	3180 / 3220	3180 / 3220	3180 / 3220	3180 / 3220	3180 / 3220	3180 / 3220
	660 / 620 / 580	1160 / - / 1620	1600 / 1560	1400 / 1360	1420 / 1380	1420 / 1380	1420 / 1380	1420 / 1380	1420 / 1380	1420 / 1380	1420 / 1380	1420 / 1380	1420 / 1380	1420 / 1380	1420 / 1380
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000
	4-6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	4	4-6	3-6	4-6	4-6	4-6	4-6	4-6	4-6	4-6	4-6	4-6	4-6	4-6	4-6
	145x83/72	100x85	143x83,5	68,5x93	143x83,5	143x83,5	143x83,5	143x83,5	143x83,5	143x83,5	143x83,5	143x83,5	143x83,5	143x83,5	143x83,5
	113x53x130	77x60x140	66x53x150	65x55x130	185x140	185x140	185x140	185x140	185x140	185x140	185x140	185x140	185x140	185x140	185x140
	185x140	-	-	-	200x150	200x80	200x80	200x80	200x80	200x80	200x80	200x80	200x150	200x150	200x150
	-	200x150	195x135	195x135	195x150***	195x150***	195x150***	195x150***	195x150***	195x150***	195x150***	195x150***	195x150***	195x150***	195x150***
	195x135	195x135	170x60x45	134x60x45	134x60x45	134x60x45	134x60x45	134x60x45	134x60x45	134x60x45	134x60x45	134x60x45	134x60x45	134x60x45	134x60x45
	120x30x60	207x75x48	7/5	7/6	7/6	7/6	7/6	7/6	7/6	7/6	7/6	7/6	7/6	7/6	7/6
	6/5	8/7	2	3	3	3	3	3	3	3	3	3	3	3	3
	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2
	2	3	3	2	2	2	2	2	2	2	2	2	2	2	2
	2	2	3	2	2	2	2	2	2	2	2	2	2	2	2
	Truma 3002 S	Truma 5002 S	Truma 3002 S + E 2800	Truma 5002 S	Truma 3002 S + E 2800	Truma 5002 S	Truma 3002 S + E 2800	Truma 5002 S	Truma 3002 S + E 2800	Truma 5002 S	Truma 3002 S + E 2800	Truma 5002 S	Truma 3002 S + E 2800	Truma 5002 S	Truma 3002 S + E 2800
	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****	70 l / RM 275*****
	100 l-Tank	100 l-Tank	200 l-Tank	130 l-Tank	200 l-Tank	130 l-Tank	200 l-Tank	130 l-Tank	200 l-Tank	130 l-Tank	200 l-Tank	130 l-Tank	200 l-Tank	130 l-Tank	200 l-Tank
	100 l	100 l	150 l	100 l	150 l	100 l	150 l	100 l	150 l	100 l	150 l	100 l	150 l	100 l	150 l
	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg
	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	7	8	9	9	9	9	9	9	9	9	9	9	9	9	9
	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	50	75	75	75	75	75	75	75	75	75	75	75	75	75	75

* Unladen weight § 42 StVZO including 75 Kg for driver and full fuel tank with standard equipment.
 ** Special equipment: Bar-version also available as an optional extra.

*** In standard fixed-bed version

**** Max. hill climb = 12 % gradient (laden)

***** Tilt-Tolerant Refrigerator standard



Hymermobil 534




Hymermobil 544



Hymermobil 554




Hymermobil 564










Hymermobil 644



Hymermobil 654



Hymermobil 694



	534		544		554		564		644		654		694****	
	Petrol / Diesel / TD		Petrol / Diesel / TD		Petrol / Diesel / TD		Petrol / Diesel / TD		Petrol / Diesel / TD / TD-Maxi		Petrol / Diesel / TD / TD-Maxi		Petrol / Diesel / TD	
Dimensions and weights:														
Overall length cm	563		563		563		563		668		668		730	
External body length cm	553		553		553		553		658		658		720	
Internal body length cm	548		548		548		548		653		653		715	
Overall width cm	222		222		222		222		222		222		222	
Internal width cm	207		207		207		207		207		207		207	
Overall height cm	275		275		275		275		275		275		281	
Standing room cm	190		190		190		190		190		190		190	
Gross weight Kg	2800		2800		2800		2800		3100		3100		4000	
optional 1)	3100		3100		3100		3100		— / — / 3500		— / — / 3500		—	
Unladen weight Kg*	2250 / 2350 / 2390		2310 / 2410 / 2450		2310 / 2410 / 2450		2350 / 2450 / 2490		2440 / 2540 / 2580 / —		2490 / 2590 / 2630 / —		3030	
together with 1)	2250 / 2350 / 2390		2310 / 2410 / 2450		2310 / 2410 / 2450		2350 / 2450 / 2490		— / — / 2620		— / — / 2670		—	
Poss. payload Kg	550 / 450 / 410		490 / 390 / 350		490 / 390 / 350		450 / 350 / 310		660 / 560 / 520 / —		610 / 510 / 470 / —		970	
together with 1)	850 / 750 / 710		790 / 690 / 650		790 / 690 / 650		750 / 650 / 610		— / — / 880		— / — / 830		—	
Perm. towing weight Kg**	2000 / 2000 / 1700*****		2000 / 2000 / 1700*****		2000 / 2000 / 1700*****		2000 / 2000 / 1700		1700 / 1700 / 1700 / 1500		1700 / 1700 / 1700 / 1500		900/900/800	
Permitted passengers	6		4/6***		4/6***		4/6***		6		4-6***		4/6***	
Sleeps	4		4/5		5/6		4		4-6		6		4/6	
Washroom W x D cm	100x85		100x85/73		100x83/73		145x83/73		100x85		190x88.5		143x83.5	
Wardrobe W x D x H cm	58x55x133		52x55x121		52x55x130		113x53x130		64x53x131		64x53x130/58		66x53x150	
Forward bed L x W cm	185x140		185x140		185x140		185x140		185x140		185x140		—	
Rear bed L x W cm	167x207		—		180x70		—		155x207		190x137		207x150	
Middle bed L x W cm	—		185x140/180x65		180x140		180x130		190x138		190x135		195x150****	
Rear luggage space cm	207x70x36		—		—		120x30x60		207x75x48		137x118		170x120x45	
Windows/opening	7/4		6/4		7/6		6/5		8/5		7/5		9/7	
Roof ventilators	2		3		3		3		3		3		3	
Compulsory ventilators	2		2		3		3		2		2		3	
Cooker-rings	2		2		2		2		2		2		3	
Heating	Truma 3002 S		Truma 3002 S		Truma 3002 S		Truma 3002 S		Truma 5002 S		Truma 5002 S		Truma 3002 S + E 2800	
Fridge	70 l / RM 275*****		70 l / RM 275*****		70 l / RM 275*****		70 l / RM 275*****		70 l / RM 275*****		70 l / RM 275*****		70 l / RM 275*****	
Fresh water supply	100-l-Tank		100-l-Tank		100-l-Tank		100-l-Tank		100-l-Tank		130-l-Tank		100-l-Tank	
Foul water tank	100 l		100 l		100 l		100 l		100 l		100 l		100 l	
Gas supply	2x11 Kg		2x11 Kg		2x11 Kg		2x11 Kg		2x11 Kg		2x11 Kg		2x11 Kg	
12 V sockets	1		1		1		1		1		3		2	
12 V lights	6		6		5		4		7		9		9	
220 V sockets	3		3		3		4		3		3		2	
Batteries Amp-hours	50		50		50		50		50		50		75	

(Data according to DIN-Norm)


- * Unladen weight § 42 StVZO including 75 Kg for driver and full fuel tank with standard equipment.
- ** Max. hill climb = 10% - 12% gradient (laden)
- *** Dependent on equipment
- **** Special Equipment Bar Version also available at extra cost
- ***** Tilt-Tolerant Refrigerator standard
- ***** Data available from your Dealer



Hymercamp 51 Diesel




Hymercamp 52 Diesel




Hymercamp 55




Hymercamp 56




Hymercamp 64




Hymertramp 155




Hymertramp 164




Camp 51 Diesel




Camp 52 Diesel




Camp 55




Camp 56



Camp 64



Hymertramp 155



Hymertramp 164

Weights & measurements:

	Diesel	Diesel
Overall length cm	523	523
External body length cm	464	464
Internal body length cm	457	457
Overall width cm	222	222
Internal width cm	207	207
Overall height cm	287	287
Standing room cm	190	190
Gross weight Kg	2600	2600
optional 1)	2800/3100	2800/3100
Unladen weight Kg*	2120	2100
together with 1)	2240	2240
Poss. payload Kg	480	500
together with 1)	560/860	560/860
Perm. towing weight Kg	1500/2000/1700***	1500/2000/1700***
Permitted passengers	4-6****	4-6****
Sleeps	4	4
Washroom W x D cm	103x83/73	103x83/73
Wardrobe W x D x H cm	95x55x130	52x55x130
Forward bed L x W cm	207x130	207x130
Rear bed L x W cm	-	-
Middle bed L x W cm	195x130	207x148
Equipment:		
Windows/opening	9/7	9/7
Roof ventilators	3	3
Compulsory ventilators	3	3
Cooker rings	2	2
Installation:		
Heating	Truma 3002 S	Truma 3002 S
Fridge	70 l / RM 275****	70 l / RM 275****
Fresh water supply	100-l-Tank	100-l-Tank
Foul water tank	100 l	100 l
Gas supply	2x11 Kg	2x11 Kg
Electrics:		
12 V sockets	1	1
12 V lights	4	7
220 V sockets	3	3
Batteries Amp-hours	50	50

(Data according to DIN-Norm)

Weights & measurements:

	Petrol / Diesel / TD	Petrol / Diesel / TD	Petrol / Diesel / TD	Petrol / Diesel / TD	Petrol / Diesel / TD
Overall length cm	553	553	659	553	659
External body length cm	494	494	596	447	553
Internal body length cm	487	487	590	420	526
Overall width cm	222	222	222	222	222
Internal width cm	207	207	207	207	207
Overall height cm	287	287	289	275	275
Standing room cm	190	190	190	190 / 200	190 / 200
Gross weight Kg	2800	2800	3100 / 3100 / 3100	2800	3100 / 3100 / 3100
optional 1)	3100	3100	-	3100	-
Unladen weight Kg*	2150 / 2250 / 2290	2150 / 2250 / 2290	2380 / 2480 / 2520	2150 / 2250 / 2290	2380 / 2480 / 2520
together with 1)	2150 / 2250 / 2290	2150 / 2250 / 2290	-	2150 / 2250 / 2290	-
Poss. payload Kg	650 / 550 / 510	650 / 550 / 510	720 / 620 / 580	650 / 550 / 510	720 / 620 / 580
together with 1)	950 / 850 / 810	950 / 850 / 810	-	950 / 850 / 810	-
Perm. towing weight Kg	2000 / 2000 / 1700*****	2000 / 2000 / 1700*****	1700 / 1700 / 1700	2000 / 2000 / 1700*****	1700 / 1700 / 1700
Permitted passengers	6	6	6	6	6
Sleeps	4-6	5/6	6	4-6	4-5
Washroom W x D cm	103x83/73	100x83/73	100x85	103x83/73	100x85
Wardrobe W x D x H cm	53x55x130	52x55x130	61x53x118	53x55x130	61x53x118
Forward bed L x W cm	207x130	207x130	207x130	200x130	-
Rear bed L x W cm	-	180x70	155x207	-	207x155
Middle bed L x W cm	195x140 u. 180x65	180x140	193x130	195x140 u. 180x65	193x130
Equipment:					
Windows/opening	9/7	10/8	10/8	6/5	6/5
Roof ventilators	3	3	4	3	3
Compulsory ventilators	3	3	4	3	3
Cooker rings	2	2	2	2	2
Installation:					
Heating	Truma 3002 S	Truma 3002 S	Truma 5002 S	Truma 3002 S	Truma SL 5002
Fridge	70 l / RM 275****	70 l / RM 275****	70 l / RM 275****	70 l / RM 275****	70 l / RM 275****
Fresh water supply	100-l-Tank	100-l-Tank	100-l-Tank	100-l-Tank	100-l-Tank
Foul water tank	100 l	100 l	100 l	100 l	100 l
Gas supply	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg	2x11 Kg
Electrics:					
12 V sockets	1	1	1	1	1
12 V lights	5	5	7	5	5
220 V sockets	3	3	3	3	3
Batteries Amp-hours	50	50	50	50	50

* Unladen weight § 42 StVZO including 75 kg for driver and full fuel tank with standard equipment.

** Max. hill climb = 10% - 12% gradient (laden)

*** Together with option 1)

**** New tilt tolerant Refrigerator

Hymermobil S-Class

No handicap.

The golfer always aims for the lowest possible handicap. Good golfers are set apart by the power, discipline and precision of the ideal swing combined with the right technique. But the short putts on the green count too.

Progressive technology, precision and exclusive equipment count too in the S-Class Hymermobils.



With 21 models in four ranges Eriba Hymer offers the widest range on the continent of Europe. A programme which does justice to everyone's requirements.

Efficient soundproofing

A comprehensive soundproofing package deals efficiently with motor noise. In addition to which an extra soundproof cover for the motor and interior heating system is available.

The driver space in the Hymercamps and the Hymertramps corresponds with the standard equipment provided by the manufacturers of the base vehicle, with additional items of equipment such as head restraints etc.



The extensive programme in four ranges.

Hymercamp

There are five "Cab-over" models for those who particularly require the well-known driver's cab with doors on both sides. Handling and a particularly favourable price to performance ratio typify these vehicles. The bodywork is constructed using the PUAL construction technique which shows in its excellent insulation properties. This construction method, patented by Eriba-Hymer, is light, stable and completely secure against the weather and against rot.

Hymertramp

Two models characterised particularly by their elegant design. The advantage of this lies primarily in the handling qualities of the vehicle when driven together with economical aerodynamics. A comfortable pull-down double bed under the forward roof area can be easily positioned with a light touch of the hand grip to provide a cosy sleeping area for two people (available as an optional extra in the Hymertramp 155). With lots of space and room above, with excellent sleeping comfort. A modern motorcaravan which, with its clean styling, its practicality and its economic price-to-performance ratio, is enchantingly attractive.

Hymermobil

The classic Hymermobil range with the steel profile construction which gives a fully integrated construction method. The drivers cab is thus integrated into the living area. This provides a particularly generous feeling of spaciousness even in the smaller models. A pull-down double bed in the cab allows the driver's area to double as a sleeping area. There are six models to choose from on the Fiat/Peugeot/Citroën chassis.

S-Class Hymermobils

Five models in the classic, regal mould represent the peak of the Hymer-motorcaravan programme. Daimler Benz chassis for luxurious, comfortable travelling and living. A particularly extensive level of equipment, a striking external appearance characterise this range of models. With these models, substantial emphasis is placed on the construction of the motorcaravan. An exclusive range which meets the requirements of quality conscious individualists.

Well tried and tested vehicles

Powerful engines and well balanced transmission for maximum driving comfort with relatively economical performance, reliable in use and extreme comfort for the driver leading to relaxed driving; these are the things which typify the Hymer motorcaravan vehicles.

Fiat/Peugeot/Citroën, as

the partners for the Hymercamp 51, 52, 55, 56 and 64; Hymermobil 534, 544, 554, 564, 644, 654, 694 and the Hymertramps 155 and 164. The advanced concept of Fiat-Ducato or Peugeot J5 and the Citroën C25 forms the basis for all of these models. Front wheel drive with a transverse engine at the front, five speed transmission and a high loading capacity. A modern chassis with a particularly favourable price to performance ratio.

Daimler-Benz for the Hymermobils 550, 555, 560, 660, 665, 670 and 700. The larger models are equipped with the robust, well-tried and tested Daimler-Benz chassis. Reliable quality guaranteed by the Daimler-Benz star.




With this range Eriba-Hymer has the ideal host vehicle for every size of model, each of which is specially harmonized and adapted to meet the special requirements of each particular model. Where necessary, extra strengthening, finely tuned stabilizers and shock absorbers meet the particular needs of the Hymer motorized caravans. For every model, the most favourable wheelbase is determined to provide the optimal axle weight distribution and to ensure manoeuvrability and a narrow turning circle for the driver of the Hymer motorcaravan. The tyres are formulated to decrease road resistance and to make better speeds possible.

The driver's and front passenger's seats in the Hymermobils are rightly praised as examples of fatigue-free, comfortable driving.

The driving cab appropriates the latest ergonomic research findings and is equipped with many passive safety features. Profiled armchair-style seating with adjustable armrests, fresh air and heating vents, cigarette-lighter, automatic seat belts for driver and passengers, generous glove compartments, interior rear view mirror, two sun visors, courtesy lights for the steps, good through fresh-air ventilation, main switch for the interior electrical systems.



The dream of individualistic, independent travel is realised with an Eriba-Hymer motorcaravan in the most exemplary fashion. Whether as a holiday home in the most exciting and beautiful places in the world, as a comfortable ski hut, as a home from home after sailing, as a weekend house or as a dreamed of villa under palms, a Hymermobil is always the home from which to explore many experiences. Where else is the synthesis between living and travelling so complete? Where else is the dream of freedom in complete safety better realised? A Hymer motorcaravan is for discerning individualists.





"The special demands of our customers provides a constant challenge to us to realise the highest possible standards. The result is a mature technical product with a high level of quality and practical functionality. At the centre point, however, stands the person whose happiest days in the year should be enriched by our product."



Hymer.

Leisure in its most attractive form.



Hymer Motorcaravans since 1961.



Eriba-Hymer Works III with administration in Bad Waldsee. Passed by the Governmental Presidency Tuebingen No. T 14441.

Within living memory, Hymer-mobils have consistently set the standard for the whole concept of motorcaravan construction. Both innovation and experience play their part as the basis of this successful concept. 1956 saw the construction of the first Eriba caravans. In 1961 the first "Hymer-motorcaravans" were already in existence, at that time as converted Borgward vehicles. Mass production began in 1972 with the Hymermobils.

Hymer operate today as the specialists in holiday living on wheels. Their name is synonymous with quality prestige products in the field of leisure vehicle construction. Today, many

thousands of Hymer motorcaravans are to be found on the roads of the world. Hymer motorcaravans have proved their reliability over millions of kilometres. A level of comfort which could hardly be surpassed satisfies the most exacting standards. For thousands, the Hymer motorised caravan has become a byword for luxurious living on the move - regal, trendsetting, exclusive.

The traditional craftsmanship of coachbuilders in existence since 1922 and the experience drawn from aircraft construction identify even today the construction of vehicles from the House of Eriba-Hymer.



3



4



7



11



12



13



14



18



19



20

Technical information

	Hymercamp 52 Hymercamp 51	Hymercamp 55/56 Hymertramp 155	Hymercamp 64 Hymertramp 164 Hymermobil 644/654	Hymermobil 534/544/554/564
Motor	Diesel	Petrol/Diesel/Turbo-Diesel	Petrol/Diesel/Turbo-Diesel	Petrol/Diesel/Turbo-Diesel
Make	Fiat / Peugeot / Citroën	Fiat / Peugeot / Citroën	Fiat / Peugeot / Citroën	Fiat / Peugeot / Citroën
Type	Ducato // J 5 // C 25	Ducato // J 5 // C 25	Ducato // J 5 // C 25	Ducato // J 5 // C 25
optional 1)	—	Turbo-Diesel	Turbo-Diesel	Turbo-Diesel
optional 2)	—	—	Ducato-TD Maxi****	—
Output kW (bhp)	52 (70)	55 (75) / 55 (75) / 55 (75) / 54 (74)	55 (75) / 55 (75) / 55 (75) / 54 (74)	55 (75) / 55 (75) / 55 (75) / 54 (74)
together with 1+2)	—	68 (92)	68 (92)	68 (92)
Cubic capacity	1900	1971 / 2445 // 1971 / 2500	1971 / 2445 // 1971 / 2500	1971 / 2445 // 1971 / 2500
Wheel-base	2923	2923	3653	2923
Tyre size	185 R 14 C 8 PR	185 R 14 C 8 PR	185 R 14 C 8 PR	185 R 14 C 8 PR
together with 1)	—	195/75 R 16 C	195/75 R 16 C	195/75 R 16 C
together with 2)	—	—	195/75 R 16 C	—
Fuel type	Diesel	Petrol/Diesel	Petrol/Diesel/Diesel	Petrol/Diesel
Fuel tank capacity	70 l	70 l	70 l	70 l
Fuel consumption/100 km	11-13 l	14-16 l / 10-13 l	14-16 l / 10-13 l / 12-14 l	14-16 l / 10-13 l
together with 1+2)	—	12-14 l	12-14 l	12-14 l
Top speed ca.	100	120 / 110	120 / 110 / 120	120 / 110
together with 1+2)	—	120	120	120
Wheel track front	1682	1682	1682	1682
Wheel track rear	1650	1650	1650	1650
Turning circle	12,2	12,2	14,8	12,2
Transmission - No. of gears	5 speed gears	5 speed gears	5 speed gears	5 speed gears
No. of cylinders	4	4	4	4
Compression ratio	21:1	8:1 / 22:1	8:1 / 22:1	8:1 / 22:1
together with 1)	—	18:1	18:1	18:1
Gross weight Kg	2600	2800 / 3100	3100	2800 / 3100
together with 1) Kg	—	3100	3100	3100
together with 2) Kg	—	—	3500	—

	Hymermobil 694	Hymermobil 550/555/560	Hymermobil 660/665/670	Hymermobil 700
Motor	Petrol/Diesel/Turbo-Diesel	Petrol/Diesel/Diesel 5 Cyl.	Petrol/Diesel	Petrol/Diesel
Make	Fiat-Kober	Mercedes Benz	Mercedes Benz	Mercedes Benz
Type	Fiat-Ducato	310 / 308 D / 310 D	410 / 410 D	410 / 410 D
optional 1)	Turbo-Diesel	—	—	—
optional 2)	—	—	—	—
Output kW (bhp)	55 (75) / 55 (75) / 68 (92)	77 (105) / 58 (79) / 70 (95)	77 (105) / 70 (95)	77 (105) / 70 (95)
together with 1+2)	—	—	—	—
Cubic capacity	1971 / 2445 / 2445	2298 / 2299 / 2874	2298 / 2874	2298 / 2874
Wheel-base	4210	3050	3700	3700
Tyre size	185 R 14 C 8 PR	205 R 14 C/N 8 PR	185 R 14 C/N 8 PR	185 R 14 C/N 8 PR
together with 1)	195/75 R 16 C	—	—	—
together with 2)	—	—	—	—
Fuel type	Petrol/Diesel/Diesel	Petrol/Diesel/Diesel	Petrol/Diesel	Petrol/Diesel
Fuel tank capacity	70 l	70 l	70 l	70 l
Fuel consumption/100 km	14-16 l / 13-15 l / 12-14 l	16-18 l / 11-13 l / 12-14 l	16-18 l / 12-14 l	16-18 l / 12-14 l
together with 1+2)	—	—	—	—
Top speed ca.	115 / 110 / 120	105 / 100 / 102	115 / 107	110 / 107
together with 1+2)	—	—	—	—
Wheel track front	1695	1600	1600	1580**
Wheel track rear	1810	1610	1580**	1580**
Turning circle	14,8	10,9	12,7	12,7
Transmission - No. of gears	5 speed gears	5 speed gears	5 speed gears	5 speed gears
No. of cylinders	4	4 / 4 / 5	4 / 5	4 / 5
Compression ratio	8:1 / 22:1	9:1 / 22:1 / 22:1	9:1 / 22:1	9:1 / 22:1
together with 1)	18:1	—	—	—
Gross weight Kg	4000	3200	4600	4600
together with 1) Kg	—	—	—	—
together with 2) Kg	—	—	—	—

** Chassis 410 and 410 D with twin wheels on the rear axle
 *** Max permitted towing weight TD-Maxi 1500 Kg
 **** only for HM 644


Price List

Issue date 11. 11. 89, supercedes all previous



ERIBA-HYMER GmbH
(Sole Concessionaires)
Madisons Hymermobile Centre,
Blackpool Road, Clifton,
Preston, Lancs. PR4 0XN
Tel: (0772) 684619 Telex: 67145
Fax: 671200


Hymercamp




Hymertramp



Hymermobile B-Klasse



Hymermobile S-Klasse



Technical information

camp 52 camp 51	Hymercamp 55/56 Hymertramp 155	Hymercamp 64 Hymertramp 164 Hymermobil 644/654
Peugeot / Citroën // J 5 // C 25	Petrol/Diesel/Turbo-Diesel Fiat / Peugeot / Citroën Ducato // J 5 // C 25 Turbo-Diesel	Petrol/Diesel/Turbo-Diesel Fiat / Peugeot / Citroën Ducato // J 5 // C 25 Turbo-Diesel
	55 (75) / 56 (75) // 55 (75) / 54 (74) 68 (92) 1971 / 2445 // 1971 / 2500	55 (75) / 56 (75) // 55 (75) / 54 (74) 68 (92) 1971 / 2445 // 1971 / 2500
4 C 8 PR	2923 185 R 14 C 8 PR 195/75 R 16 C	3653 185 R 14 C 8 PR 195/75 R 16 C
	Petrol/Diesel 70 l 14-16 l / 10-13 l 12-14 l 120 / 110 120 1682 1650 12.2 5 speed gears 4 8:1 / 22:1 18:1 2800 / 3100 3100	Petrol/Diesel/Turbo-Diesel 70 l 14-16 l / 10-13 l / 12-14 l 12-14 l 120 / 110 / 120 120 1682 1650 14.8 5 speed gears 4 8:1 / 22:1 18:1 3100 3100 3500

Hymermobil 550/555/560	Hymermobil 660/665/670
Petrol/Diesel/Diesel 5 Cyl. Mercedes Benz 310 / 308 D / 310 D	Petrol/Diesel Mercedes Benz 410 / 410 D
55 (75) / 68 (92)	77 (105) / 58 (79) / 70 (95)
45 / 2445	2298 / 2299 / 2874 3050
C 8 PR 16 C	205 R 14 C/N 8 PR 185 R 14 C/N 8 PR
Petrol/Diesel 70 l 13-15 l / 12-14 l 120	Petrol/Diesel/Diesel 70 l 16-18 l / 11-13 l / 12-14 l 105 / 100 / 102
	1600 1610 10.9 5 speed gears 4 / 4 / 5 9:1 / 22:1 / 22:1 3200
	1600 1580** 12.7 5 speed gears 4 / 5 9:1 / 22:1 4600

wheels on the rear axle
maxi 1500 Kg

Motorhome Price List (Excl. V.A.T.)

Code	Series	Hymercamp					Hymer-tramp		Hymermobil B-Klasse							Hymermobil S-Klasse						
	Type	51	52	55	56	64	155	164	534	544	554	564	644	654	694	550	555	560	660	665	670	700
		7215	7225	7230	7235	7250	7260	7265	7330	7344	7355	7370	7540	7375	7545	7350	7360	7380	7560	7570	7542	7560
2223 *3810)	Fiat Ducato D 553-1 1,9l 2,55t 52 kW (70 PS)	13910	13910																			
2220 *3820)	Fiat Ducato B 502-1 2,0l 2,80t 55 kW (75 PS)	13895	13895	14995	14995		14995															
2221 2224 *3821) *3025)	Fiat Ducato D 506-1 2,5l 2,80t 60 kW TD (82 PS) 1,9l 2,80t 55 kW D (75 PS) 2,5l	14840	14840	15978	15978		15978															
2222 *3822) *3027)	Fiat Ducato TD 508-1 2,5l 2,80t 68 kW (92 PS)	16250	16250	17315	17315		17315															
2230 *3830)	Fiat Ducato B 862-1 2,0l 3,10t 55 kW (75 PS)					18958	18958															
2231 2233 *3831) *3030)	Fiat Ducato D 866-1 2,5l 3,10t 60 kW TD (82 PS) 1,9l 3,10t 55 kW D (75 PS) 2,5l					19984	19984															
2232 *3832) *3031)	Fiat Ducato TD 868-1 2,5l 3,10t 68 kW (92 PS)					21371	21371															
2240 *3840)	Fiat Ducato B 062-1 2,0l 2,80t 55 kW (75 PS)							19126	19126	19126	19126											
2241 2244 *3841) *3045)	Fiat Ducato D 066-1 2,5l 2,80t 60 kW TD (82 PS) 1,9l 2,80t 53 kW D (75 PS) 2,5l							20152	20152	20152	20152											
2242 *3842) *3047)	Fiat Ducato TD 068-1 2,5l 2,80t 68 kW (92 PS)							21539	21539	21539	21539											
4220	Mercedes 310 B 2,3l 3,20t 77 kW (104 PS)															26845	26845	26845				
4260	Mercedes 310 D 2,9l 3,20t 70 kW (95 PS)															27997	27997	27997				
2250 *3850)	Fiat Ducato B 022-1 2,0l 3,10t 55 kW (75 PS)												22973	22973								
2251 2254 *3851) *3055)	Fiat Ducato D 026-1 2,5l 3,10t 60 kW TD (82 PS) 1,9l 3,10t 53 kW D (75 PS) 2,5l												23999	23999								
2252 *3852) *3057)	Fiat Ducato TD 028-1 2,5l 3,10t 68 kW (92 PS)												25386	25386								
2253	Fiat Maxi Duc. TD 028-2 2,5l 3,50t 68 kW (92 PS)												27210	27210								
2255 *3855)	Fiat Ducato B 2,0l 4,00t 55 kW (75 PS)														28359							
2256 *3856)	Fiat Ducato D 2,5l 4,00t 55 kW (75 PS)														29385							
2257 *3857)	Fiat Ducato TD 2,5l 4,00t 68 kW (92 PS)														30772							
4320	Mercedes 410 B 2,3l 4,60t 77 kW (104 PS)																			31434	33121	31434
4350	Mercedes 410 D 2,9l 4,60t 70 kW (95 PS)																			32483	34171	32483

Option Price List (Excl. V.A.T.)

Code	Series	Type	Hymercamp					Hymer-tramp	Hymermobil			
			51	52	55	56	64		155	164	534	544
			7215	7225	7230	7235	7250	7260	7265	7330	7344	7355
2301	Weight to 3.1t 1)		60	60	60	60	S	60	S	60	60	60
4802	Automatic Transmission		-	-	-	-	-	-	-	-	-	-
4801	Power Assisted Steering		-	-	-	-	-	-	-	-	-	-
2303	Power Assisted Steering 2)		595	595	595	595	595	595	595	595	595	595
4807	Katalysator		-	-	-	-	-	-	-	-	-	-
42400	Flip-Dinette		-	-	-	-	S	-	S	-	-	-
42600	L-Shaped Seat Group		-	-	-	-	-	-	-	-	-	-
42610	Sitting Group with Bar		-	-	-	-	-	-	-	-	-	-
47650	Lengthwise Seating Group		-	-	-	-	-	-	-	-	-	-
47640	Rear Double Bed		-	-	-	-	S	-	S	-	-	-
42500	Round Seating Group - Rear		-	-	-	-	-	-	-	-	-	-
42510	Round Seating Group - Rear		-	-	-	-	225	-	225	-	-	-
47660	L-Shaped Seat Group		-	-	-	-	-	-	-	-	-	-
670	Fashion Interior Finish		162	162	162	162	-	-	-	-	-	-
741	Terra Upholstery		-	-	-	-	163	-	163	-	-	-
740	Terra Upholstery		123	123	123	123	-	123	-	123	-	-
703	Sand Upholstery		-	-	-	-	-	-	-	-	S	-
712	Holiday Upholstery		S	S	S	S	S	S	S	S	-	-
20160	Tow Bar & Electrics 3)		595	595	-	-	-	-	-	-	-	-
20190	Tow Bar & Electrics 3)		-	-	595	595	-	595	-	595	-	-
20180	Tow Bar & Electrics 3)		-	-	-	-	595	-	595	-	-	-
20150	Tow Bar & Electrics 3)		-	-	-	-	-	-	-	-	-	-
20140	Tow Bar & Electrics 3)		-	-	-	-	-	-	-	-	-	-
83100	External mirrors Electric		-	-	-	-	-	-	-	-	-	248
83101	External mirrors Electric		-	-	-	-	-	-	-	-	-	-
59130	External Shower Door		-	54	54	54	-	54	-	54	-	54
59140	External Shower Hose		54	-	-	-	54	-	54	-	54	-
33150	Opening rear side windows		-	-	-	-	66	-	66	-	66	66
81	Gas Warning Device		170	170	170	170	170	170	170	170	170	170
34	Microwave Oven 4)		375	375	375	375	375	375	375	375	375	375
52	Optimus Oven & Grill		-	345	345	-	345	345	345	-	-	-
43	Glass Fronted LP Oven		226	226	226	226	226	226	226	226	226	226
51700	Battery 75 Ah		60	60	60	60	60	60	60	60	60	60
87900	Rear Seat Belt 5)		36	-	36	36	36	36	36	36	36	36
42700	Extra Bunk Bed		-	-	-	-	-	-	-	-	-	-
42710	Extra Bunk Bed		-	-	-	-	241	-	-	-	-	-
47560	Rear Carpet		76	76	-	-	-	-	-	-	-	-
47570	Rear Carpet		-	-	86	-	-	-	86	-	-	-
47540	Rear Carpet		-	-	-	86	-	-	-	-	-	-
47520	Rear Carpet		-	-	-	-	96	-	96	-	96	-
44810	Lowerable Cab Bed		-	-	-	-	-	-	-	595	-	-
700	C-L Pack 6)		-	-	-	-	-	-	-	-	-	-
42420	Captain's Armchair Seats		590	590	590	590	590	590	590	590	590	590
37260	Roofrack & Ladder		-	-	-	-	-	-	-	-	-	-
37250	Roofrack & Ladder		-	-	-	-	-	-	-	-	-	-
37240	Roofrack & Ladder		-	-	-	-	389	389	389	389	-	-
37290	Roofrack & Ladder		-	-	-	-	-	-	-	-	339	339
33400	Roof Vent (Front)		71	71	71	71	71	71	71	-	-	-
33390	Roof Vent (Rear)		-	-	-	-	-	-	-	-	-	-
56500	Duomatic (2 Bottle) Gas Reg.		44	44	44	44	44	44	44	44	44	44

* Alternative Chassis may be substituted: 1) Peugeot J 5 2) Citroën C 25

